## Datasheet and description



# Avide LED Integrated Tri-proof fixture 20W 4000K 0.6m

**Product code:** ATPF-LED-20W

**Brand link:** avidelighting.com/qr/ATPF-LED-20W

**ID:** AB-190518

**Company name:** Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



**Date of issue:** 2025-06-05

Page: 1/3

#### **SPECIFICATIONS**

EAN code: 5999097916484

Warranty: 4year(s)
Material: abs+pc

Working temperature: -20C° - + 50C° Packaging: 1/b 8/c 168/p

Certifications: CE

#### **TECHNICAL DETAILS**

Wattage: 20W

Voltage: AC180-265V

Beam angle: 120° Dimmability: No

Lumen output: 1 900lm
Color temperature: 4 000K
Lifetime: 25 000h

Energy class:

Type of LED: SMD2835

CRI: 80
IP standard: IP65
Number of clips: 6pcs

### **PICTURE**



## Datasheet and description



## Avide LED Integrated Tri-proof fixture 20W 4000K 0.6m

**Product code:** ATPF-LED-20W

**Brand link:** avidelighting.com/qr/ATPF-LED-20W

**ID:** AB-190518

**Company name:** Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



**Date of issue:** 2025-06-05

Page: 2/3

#### **PRODUCT SIZE**

Width: 600mm
Height: 105mm
Depth: 600mm

#### **CARDBOARD BOX**

EAN: 5999097916484 Packaging: 1/b 8/c 168/p

Dimensions: 110mm x 90mm x 615mm

Net weight: 740g Gross weight: 1 066g

### **CARTON**

EAN: 5999097916491 Packaging: 1/b 8/c 168/p

Dimensions: 620mm x 240mm x 360mm

Net weight: 5.92kg
Gross weight: 8.528kg

## PRODUCT PICTURE



#### PRODUCT OUTLINE



### **PALLET EXAMPLE**

Height:

Width: 120cm (std Euro pallet)

Mepth: 80cm (std Euro pallet)

Cartons per pallet: 21carton/pallet

Cartons per row:

Net weight: 124.32kg
Gross weight: 179.088kg

# Datasheet and description



# Avide LED Integrated Tri-proof fixture 20W 4000K 0.6m

**Product code:** ATPF-LED-20W

**Brand link:** avidelighting.com/qr/ATPF-LED-20W

**ID:** AB-190518

**Company name:** Bramcke Hungary Kft.

**Company address:** Kishatár utca 17., 4031 Debrecen



**Date of issue:** 2025-06-05

Page: 3/3

### **PRODUCT DESCRIPTION**